

Utilization of Soft Computing for Evaluating the Performance of Stone Sawing Machines, Iranian Quarries

Ahmad Aryafar ^{a,*}, Reza Mikaeil ^b, Sina Shaffiee Haghshenas ^c, Sami Shaffiee Haghshenas ^d

^a Department of Mining Engineering, Faculty of Engineering, University of Birjand, Birjand, Iran

^b Department of Mining Engineering, Faculty of Engineering, Urmia University of Technology, Urmia, Iran

^c Young Researchers and Elite Club, Islamic Azad University, Rasht Branch, Rasht, Iran

^d Department of Civil Engineering, Islamic Azad University, Astara Branch, Astara, Iran

Article History:

Received: 16 May 2017,

Revised: 21 October 2017,

Accepted: 25 October 2017.

ABSTRACT

The flourishing construction industry has led to a drastic increase in the dimension stone demand in the construction, mining and industry sectors. Assessment and investigation of mining projects and stone processing plants such as sawing machines is necessary to manage and respond to the sawing performance; hence, the soft computing techniques were considered as a challenging task due to stochastic optimization of this issue and to handle complex optimization problems. In this study, Particle Swarm Optimization (PSO) and Artificial Bee Colony (ABC) algorithms were used as soft computing techniques to classify dimension stones based on physical and mechanical properties and ampere consumption. For this purpose, a variety of dimension stones from 12 Iranian quarries were investigated. The studied dimension stones were classified into two and three separate clusters using the optimization clustering techniques. The results showed that the applied soft computing technique makes it possible to evaluate the performance of sawing machines in different complex conditions and uncertain systems.

Keywords : *Sawing machines, Particle Swarm Optimization (PSO), Artificial Bee Colony (ABC), ampere consumption, optimization clustering techniques*

1. Introduction

Nowadays, the optimization and solving of complex issues and uncertain systems have been provided through significant advances in the field of soft computing and data analysis. In recent years, these methods have been developed and used in other scientific and technical disciplines such as risk ranking, civil engineering, economics, operations research, and geotechnical and mining engineering [1, 2, 3, 4, 5, 6, 7, 8]. Meta-heuristic algorithms are one of the useful soft computing techniques for optimization of designing and implementation performance; hence, this paper presents application of Particle Swarm Optimization (PSO) and Artificial Bee Colony (ABC) techniques to evaluate the sawing performance based on stochastic optimization. Assessment of sawing performance is a multivariable complex issue that depends on several parameters. Due to the time, financial and other limitations in the simultaneous response and reaction to sawing machines, the classification scheme significantly helps successful implementation of the sawing performance by providing the possibility of a timely and appropriate planning to achieve the effective strategies. For this purpose, four effective rock properties on the sawing performance of quarrying machines such as Schmiezek factor (SF-a), hardness (H), uniaxial compressive strength (UCS) and Young modulus (E) were considered. Furthermore, the results were compared with ampere consumption of the sawing machines in 2 and 3 separate clusters. In this research, an application of two modern evolutionary techniques, namely Particle Swarm Optimization (PSO) and Artificial Bee Colony (ABC) algorithms are presented to evaluate the sawing performance of sawing machines. The remainder of the paper is organized as follows. In the two subsequent sections, a brief overview on

the PSO and ABC algorithms has been provided. The dataset is analyzed and classified in section 4. In section 5, the application of meta-heuristic methods in classification of laboratory tests is evaluated.

2. Particle Swarm Optimization (PSO)

In the research operation and optimization issues, the Particle Swarm Optimization (PSO) is an optimization algorithm based on the movement and swarm intelligence technique proposed by [9]. This Meta heuristic algorithm was inspired by swarm of birds and shoals of fish, and has proved to be very efficient in complex optimization issues [10, 11]. This algorithm is capable of solving the most optimization problems such as optimization of mathematical functions, fuzzy system control, motion control of robots, neural network training and pattern recognition [12, 13, 14, 15, 16, 17]. Moreover, PSO is a suitable approach for optimization of energy and petroleum problems [18, 19, 20, 21, 22]. PSO is one of the impressive evolutionary algorithms that have been started by generation of initial population. In this algorithm, each solution is a particle. In fact, a set of solutions is a set of particles. In this process, the behavior of each particle can be affected by the behavior of neighboring particle or the general particle. These particles move around in the search-space and the rate equation guarantee the movement of particles towards the optimum area. This equation has three main elements as follows: the velocity vector, a particle keeps track of the best position that it has reached so far (pbest) and the globally best position (gbest) is the best value obtained so far by any particle in the neighborhood of that particle [23]. The swarm is updated in each iteration based on Equation (1) and (2) as follow:

$$V_i^{(k+1)} = w V_i^k + c_1 r_1 .(pbest_i - X_i^k) + c_2 r_2 .(gbest - X_i^k) \quad (1)$$

* Corresponding author Tel: +98-9155616379, E-mail address: aaryafar@birjand.ac.ir (A. Aryafar).

$$X_i^{(k)} = X_i^k + V_i^k \quad (2)$$

Where $V_i^{(k+1)}$ is a new velocity vector? The X_i^k and V_i^k are current position and the velocity of the i^{th} particle, respectively. N is the size of swarm $i=(1, 2, 3, \dots, N)$ and $k=(1, 2, 3, \dots)$ determines the iteration number. (w) is the inertia weight that controls the impact of the previous velocity on the current velocity; r_1 and r_2 are a random number within the range $[0, 1]$. In addition, C_1 and C_2 are the acceleration constants. According to the empirical evidence, Equation (3) is established [24, 25].

$$c_1 + c_2 \leq 4 \quad (3)$$

3. Artificial Bee Colony (ABC) algorithm

In order to solve complex problems and on the basis of swarm intelligence, Karaboga introduced Artificial Bee Colony (ABC) algorithm based on intelligent foraging behavior of honey bee swarm [26]. The honeybee swarm algorithm has three essential components: food sources, employed bees and unemployed bees (on lookers and scouts). The ABC model is an efficient technique for optimization problems. In the first step, a set of food sources are randomly selected. The employed bees start random search in the food zone (search space), and then, each worker bee randomly selects a neighbor bee and randomly moves towards it. This process was shown in Equation (4) [27, 28].

$$v_{ij} = x_{ij} + \phi_{ij} (x_{ij} - x_{kj}) \quad (4)$$

$$k \in \{1, 2, 3, \dots, BN\}, \quad i \neq k$$

$$j \in \{1, 2, 3, \dots, D\}$$

Where BN is the number of employed bees. v_{ij} is a new position of the first bee and x_{ij}, x_{kj} are the positions of the first bee and another bee (the neighboring bee), respectively. ϕ_{ij} is a random number between $[1, -1]$. This parameter controls the production of neighbor food sources around x_{ij} . (k) and (j) are randomly chosen indexes. (k) is different from (i) and is defined randomly. According to equation (1), as the difference between x_{ij}, x_{kj} reduces, the deviation of x_{ij} position will reduce. In fact, based on the value of ϕ_{ij} , movement occurs to the dimensions of one of the situations in the same direction or the opposite direction similar to PSO, however with a significant difference. In ABC, the algorithm creates variation through random selections and prevents them to be located in an optimal location. After completion of the search process, the onlookers evaluate the information of each employed bee with a probability that is proportional to the quality of nectar source, and then selects a food source. This possibility is obtained from Equation (5) [29, 30].

$$P_i = \frac{fit_i}{\sum_{n=1}^{SN} fit_n} \quad (5)$$

Where P_i is the probability value associated with the food source. fit_i and SN are considered the fitness value of the food sources corresponding to the i^{th} bee and the number of available solutions (food sources), respectively. Finally, if the sources are finished or are not appropriate, the employed bees abandon them turning to the scout. If this process is not improved after several iterations, the position is deleted and a new position is randomly produced [31, 32, 33]. The Artificial Bee Colony (ABC) algorithm has been successfully applied to many areas such as complex problems in traffic studies [34, 35] and optimization of civil and electrical engineering projects [36, 37, 38].

4. Application of PSO and ABC in the Modeling

In this research, data clustering was conducted by the loyd's Algorithm (k-means clustering) based on the particle swarm optimization and the artificial bee colony algorithm. In fact, clustering is classification of components of a system based on their similarity. The Loyd's Algorithm is defined based on Equation (6). In this mathematical

equation, d is the Euclidean distance between the centers of classes and each data under the study. In addition, K presents the number of classes in this classification, and (m) and (x) are the centers of classes and data under the study, correspondingly [39, 40, 41].

$$Obj. Function = \sum_{i=1}^n \min_{1 \leq j \leq k} d(x_i, m_j) \quad (6)$$

In this case, 12 different kinds of rocks were investigated through laboratory and field studies. In Table 1, 12 rock samples and 4 important parameters were shown as the clustering criteria. For laboratorial studies, the sample blocks were selected from the studied quarries. Standard tests were done to determine the mentioned physical and mechanical properties of rock. The Schimazek's F-abrasiveness factor was calculated using Eq. 7:

$$SFA = \frac{EQC \times G_s \times BTS}{100} \quad (7)$$

Where F is the Schimazek's wear factor (N/mm), EQC is the equivalent quartz content percentage, G_s is the median grain size (mm), and BTS is the indirect Brazilian tensile strength. The average uniaxial compressive strength was calculated for each studied dimension stones. The mean hardness of the studied rocks was determined based on the hardness their containing minerals using the Eq. 8:

$$Mean \ Hardness = \sum_{i=1}^n M_i \times H_i \quad (8)$$

Where M_i is the mineral content (%), H_i is the Mohs hardness, n is the total number of the minerals in the dimension stone. The tangent Young's modulus at a stress level of 50% of the ultimate uniaxial compressive strength was used, as well.

Table 1. The samples mechanical and physical properties.

Samples No	Samples	Mohs Hardness	Young Modulus (GPa)	UCS (MPa)	SF-a
A ₁	Red Granite	6.1	43.6	142	14.24
A ₂	Black Granite	6.6	48.6	173	7.6
A ₃	White Granite	5.95	35.5	145	24.25
A ₄	Chocolate Granite Khoramdeh	5.65	28.9	133	10.42
A ₅	Granite Pearl	5.6	31.2	125	8.5
A ₆	Cream Marble Harsin	3.5	32.5	71.5	0.135
A ₇	Pink Marble Anarak	3.2	33.6	74.5	0.109
A ₈	Red Travertine	2.9	20.7	53	0.122
A ₉	Travertine Haji Abad	2.9	21	61.5	0.124
A ₁₀	Travertine Dareh Bokhari	2.95	23.5	63	0.127
A ₁₁	Marble Salsali	3.1	31.6	73	0.105
A ₁₂	Pink Marble Haftoman	3.6	35.5	74.5	0.173

In the first step, the pseudo-code of the loyd's Algorithm (k-means clustering) as the fitness function, and the other parts of the algorithms were written in the MATLAB software. The fitness function is the same for both algorithms. The considered limits in the clustering were an initial population of 50 and 100, a maximum iteration of 200 and 100, a minimum acceptance precision of $\epsilon_L=0.00001$ for the PSO and ABC algorithms, respectively. Furthermore, the values of the parameters (initial population, maximum iteration) were analyzed in various modes selected for the suitable values. In this process, the numbers of clusters are considered two and three clusters based on experiences after several meetings and consultations with experts. In Tables 2 and 3, the optimization results of the samples by the PSO and ABC algorithms are shown, respectively. In addition, the process of calculations are shown in Figs 1-4.

According to the obtained results (Tables 1 and 2), it is clearly seen that the results of the optimum partition of PSO and the Artificial Bee Colony algorithms are the same. On the other hand, Figs 1-4 illustrate the samples position in the clustering for two clusters that are the same,

even in the minimum cost per iteration of these two algorithms. In the next analysis, the samples were classified into three clusters. The limits in the clustering including the initial population, the maximum iteration and the minimum acceptance precision are similar to the last analysis with two clusters. Accordingly, the RPI values and the wear rate

for five clusters are summarized in Tables 4 and 5. The position of the samples with three clusters and the relationship between the best cost and the iteration are illustrated in Figs 5-8.

Table 2. Samples optimization and classification by the PSO and ABC algorithms with two clusters.

Samples	A ₁	A ₂	A ₃	A ₄	A ₅	A ₆	A ₇	A ₈	A ₉	A ₁₀	A ₁₁	A ₁₂
Optimum Partition of PSO	0.171	0.374	0.506	0.183	0.209	0.733	0.747	0.9	0.872	0.845	0.764	0.711
Classification of PSO	0.874	0.913	1.163	0.669	0.589	0.053	0.054	0.244	0.221	0.166	0.02	0.109
	First Class					Second Class						
Optimum Partition of ABC	A ₁	A ₂	A ₃	A ₄	A ₅	A ₆	A ₇	A ₈	A ₉	A ₁₀	A ₁₁	A ₁₂
	0.171	0.374	0.506	0.183	0.21	0.735	0.748	0.902	0.874	0.847	0.766	0.713
Classification of ABC	0.874	0.913	1.163	0.668	0.589	0.053	0.054	0.244	0.222	0.169	0.021	0.109
	First Class					Second Class						
	A ₁	A ₂	A ₃	A ₄	A ₅	A ₆	A ₇	A ₈	A ₉	A ₁₀	A ₁₁	A ₁₂

Table 3. Distance of clusters' centers from the criteria by the PSO and ABC algorithms with two clusters.

	PSO		ABC	
	C ₁	C ₂	C ₁	C ₂
MH	0.896	0.485	0.897	0.486
YM	0.756	0.641	0.756	0.641
UCS	0.809	0.413	0.811	0.413
SF-a	0.495	0.005	0.496	0.005




Fig. 1. Samples position in clustering by PSO for two clusters




Fig. 2. Minimum cost per iteration by PSO for two clusters




Fig. 3. Samples position in clustering by ABC for two clusters




Fig. 4. Minimum cost per iteration by ABC for two clusters

Table 4. Samples optimization and classification by the PSO and ABC algorithms with three clusters.

Samples	A ₁	A ₂	A ₃	A ₄	A ₅	A ₆	A ₇	A ₈	A ₉	A ₁₀	A ₁₁	A ₁₂
Optimum Partition of PSO	0.273	0.406	0.593	0.106	0.105	0.649	0.665	0.81	0.78	0.755	0.681	0.631
	0.446	0.762	4e-08	0.592	0.667	1.145	1.155	1.257	1.236	1.218	1.165	1.131
	0.874	0.913	1.163	0.669	0.589	0.053	0.054	0.244	0.221	0.169	0.2	0.109
Classification of PSO	First Class			Second Class			Third Class					
	A ₁	A ₂	A ₄	A ₅	A ₃	A ₆	A ₇	A ₈	A ₉	A ₁₀	A ₁₁	A ₁₂
Optimum Partition of ABC	0.184	0.363	0.519	0.181	0.208	0.729	0.741	0.898	0.868	0.841	0.759	0.707
	1.031	1.105	1.258	0.774	0.713	0.281	0.297	0.001	0.049	0.082	0.254	0.345
	0.854	0.889	1.15	0.649	0.567	0.021	0.064	0.261	0.24	0.189	0.059	0.086
Classification of ABC	First Class			Second Class			Third Class					
	A ₁	A ₂	A ₃	A ₄	A ₅	A ₈	A ₉	A ₁₀	A ₆	A ₇	A ₁₁	A ₁₂

Table 5. Distance of clusters' centers from criteria by the PSO and ABC algorithms with three clusters.

	PSO			ABC		
	C ₁	C ₂	C ₃	C ₁	C ₂	C ₃
MH	0.877	0.902	0.485	0.876	0.439	0.528
YM	0.697	0.73	0.671	0.754	0.426	0.649
UCS	0.782	0.838	0.413	0.835	0.306	0.408
SF-a	0.411	1	0.005	0.483	0.004	0.004




Fig. 5. Samples position in clustering by PSO for three clusters




Fig. 6. Minimum cost per iteration by PSO for three clusters




Fig. 7. Samples position in clustering by ABC for three clusters




Fig. 8. Minimum cost per iteration by ABC for three clusters

5. Validation of results

To validate the clustering results, laboratorial studies were carried out. The studied dimension stones were sawn using a fully instrumented laboratorial sawing rig at a feed rate of 100 cm/min and a depth of cut of 15 mm. During the sawing test, the ampere consumption was recorded as a criterion for evaluating and validating the clustering results. The results are given in Table 6.

Table 6. The ampere consumption of the studied rocks.

Samples	Fr=100cm/min Dc=15mm	Classification of PSO		Classification of ABC	
		(2 clusters)	(3 clusters)	(2clusters)	(3clusters)
A ₁	8	First Class	First Class	First Class	First Class
A ₂	75	First Class	First Class	First Class	First Class
A ₃	75	First Class	First Class	First Class	First Class
A ₄	7	First Class	First Class	First Class	First Class
A ₅	7	First Class	Second Class	First Class	First Class
A ₆	63	Second Class	Third Class	Second Class	Third Class
A ₇	65	Second Class	Third Class	Second Class	Third Class
A ₈	62	Second Class	Third Class	Second Class	Second Class
A ₉	62	Second Class	Third Class	Second Class	Second Class
A ₁₀	63	Second Class	Third Class	Second Class	Second Class
A ₁₁	63	Second Class	Third Class	Second Class	Third Class
A ₁₂	63	Second Class	Third Class	Second Class	Third Class

As it is seen in Table 6, the studied dimension stones were accurately classified by both of the PSO and ABC algorithms into two geological

groups of hard and soft dimension stones. However, ABC was able to classify the soft studied stones correctly into two classes including travertine and marble. The results of laboratorial tests in terms of ampere consumption also confirmed it, because the value of ampere average in all three classes is different.

6. Conclusion

In this research, the application of the PSO and ABC algorithms was studied to classify the dimension stones based on physical and mechanical properties such as uniaxial compressive strength, Schmiasek F-abrasivity, Mohs hardness scale, and Young's modulus. A variety of dimension stones from 12 Iranian quarries located were studied. The studied dimension stones were accurately classified into two geological groups including the hard and soft dimension stones. In three clusters, ABC was able to classify the soft studied stones correctly into two classes including travertine and marble. The results of laboratorial tests in terms of ampere consumption also have a good agreement with the predicted classes. The obtained results showed that the applied algorithms can be reliably used to evaluate the performance of sawing machines in different complex conditions and uncertain systems.

Acknowledgments

The authors would like to express their appreciations to the University of Birjand and Urmia University of Technology for facilitation of this research plan. Also, special thanks for help of staffs in Society if Iranian Quarries. The financial support of the University of

Birjand is thanked, gratefully.

REFERENCES

- [1] Tabesh, M., & Askari-Nasab, H. (2013). Automatic creation of mining polygons using hierarchical clustering techniques. *Journal of Mining Science*, 49(3), 426-440.
- [2] Mikaeil, R., Ozcelik, Y., Ataei, M., & Shaffiee Haghshenas, S. (2016). Application of harmony search algorithm to evaluate performance of diamond wire saw. *Journal of Mining and Environment*, published online, DOI: 10.22044/jme.2016.723
- [3] Haghshenas, S. S., Haghshenas, S. S., Barmal, M., & Farzan, N. (2016). Utilization of Soft Computing for Risk Assessment of a Tunneling Project Using Geological Units. *Civil Engineering Journal*, 2(7), 358-364.
- [4] Haghshenas, S. S., Neshaei, M. A. L., Pourkazem, P., & Haghshenas, S. S. (2016). The Risk Assessment of Dam Construction Projects Using Fuzzy TOPSIS (Case Study: Alavian Earth Dam). *Civil Engineering Journal*, 2(4), 158-167.
- [5] Chou, J.S, Chong, W.K., & Bui, D.K. (2016). Nature-Inspired Metaheuristic Regression System: Programming and Implementation for Civil Engineering Applications. *Journal of Computing in Civil Engineering*, 04016007.
- [6] Mikaeil, R., Shaffiee Haghshenas, S., Ozcelik, Y., & Shaffiee Haghshenas, S. (2017). Development of Intelligent Systems to Predict Diamond Wire Saw Performance. *Soft Computing in Civil Engineering*, 1(2), 52-69.
- [7] Rad, M. Y., Haghshenas, S. S., & Haghshenas, S. S. (2014). Mechanostratigraphy of cretaceous rocks by fuzzy logic in East Arak, Iran. In *The 4th International Workshop on Computer Science and Engineering-Summer, WCSE*.
- [8] Aryafar, A., & Mikaeil, R. (2016). Estimation of the Ampere Consumption of Dimensional Stone Sawing Machine Using of Artificial Neural Networks, *International Journal of Mining And Geo-Engineering*, 50(1), 121-130.
- [9] Kennedy, J., & Eberhart, R.C. (1995). Particle swarm optimization, In *Proceedings of IEEE international conference on neural networks, 1942-1948*, New Jersey: IEEE Press.
- [10] Sadeghi, H., Zolfaghari, M., Sohrabi, H., & Salmani, Y. (2012). Application of particle swarm algorithm and genetic algorithms to simulate and forecast energy demand. *Iran Ene. J*, 15(2), 45-60.
- [11] Azadnia, A., & Zahraei, B. (2010). Application of PSO algorithm in multi-objective optimization of reservoirs of dams operation, 5th National Congress of Civil Engineering. Ferdowsi University of Mashhad, Mashhad, Iran.
- [12] You, P.S. (2008). An efficient computational approach for railway booking problems. *European Journal of Operational Research*, 185(2), 811-824.
- [13] Izquierdo, J., Montalvo, I., Pérez, R., & Fuertes, V.S. (2008). Design optimization of wastewater collection networks by PSO. *Computers & Mathematics with Applications*, 56(3), 777-784.
- [14] Montalvo, I., Izquierdo, J., Pérez, R., & Tung, M.M. (2008). Particle swarm optimization applied to the design of water supply systems. *Computer & Mathematics with Applications*, 56(3), 769-776.
- [15] Yisu, J., Knowles, J., Hongmei, L., Yizeng, L., & Kell, D.B. (2008). The landscape adaptive particle swarm optimizer. *Applied Soft Computing*, 8(1), 295-304.
- [16] Suribabu, C.R., & Neelakantan, T.R. (2006). Design of water distribution networks using particle swarm optimization. *Urban Water Journal*, 3(2), 111-120.
- [17] Chao, K.W. (2006). Particle Swarm Optimization Training Algorithm for ANNs in Stage Prediction of Shing Mun River. *Journal of Hydrology*, 329, 363-367.
- [18] Yu, S., Zhu, K., & Zhang, X. (2012). Energy demand projection of China using a path-coefficient analysis and PSO-GA approach. *Energy Conversion and Management*, 53(1), 142-153.
- [19] Assareh, E., Behrang, M.A., Assari, M.R., & Ghanbarzadeh, A. (2010). Application of PSO (particle swarm optimization) and GA (genetic algorithm) techniques on demand estimation of oil in Iran. *Energy*, 35(12), 5223-5229.
- [20] Kamrani, E. (2010). Modeling and forecasting long-term Natural Gas (NG) consumption in Iran, using Particle Swarm Optimization (PSO).
- [21] Onwunali, J.E., & Durlofsky, L.J. (2010). Application of a particle swarm optimization algorithm for determining optimum well location and type. *Computers and Geosciences*, 14(1), 183-198.
- [22] Ünler, A. (2008). Improvement of energy demand forecasts using swarm intelligence: The case of Turkey with projections to 2025. *Energy Policy*, 36(6), 1937-1944.
- [23] Liu, W.B., & Wang, X.J. (2008). An evolutionary game based particle swarm optimization algorithm. *Journal of Computational and Applied Mathematics*, 214(1), 30-35.
- [24] Bai, Q. (2010). Analysis of particle swarm optimization algorithm. *Computer and information Sciences*, 3(1), 180-184.
- [25] Babazadeh, A., Poorzahedy, H., & Nikoosokhan, S. (2011). Application of particle swarm optimization to transportation network design problem. *Journal of King Saud University-Science*, 23(3), 293-300.
- [26] Karaboga, D. (2005). an idea based on honey bee swarm for numerical optimization, Technical Report- TR06, Erciyes University, Engineering Faculty, Computer Engineering Department.
- [27] Karaboga, D., Gorkemli, B., Ozturk, C., & Karaboga, N. (2014). A comprehensive survey: artificial bee colony (ABC) algorithm and applications. *Artificial Intelligence Review*, 42(1), 21-57.
- [28] Kumar, D., & Kumar, B. (2013). Optimization of Benchmark Functions Using Artificial Bee Colony (ABC) Algorithm. *Optimization*, 3(10), 9-14.
- [29] Karaboga, D., & Akay, B. (2011). A modified artificial bee colony (ABC) algorithm for constrained optimization problems. *Applied Soft Computing*, 11(3), 3021-3031.
- [30] Sharma, T.K., Pant, M., and Bansal, J.C. (2012). Some modifications to enhance the performance of artificial bee colony. In *Evolutionary Computation (CEC)*. 2012 IEEE Congress on, IEEE: 1-8.
- [31] Karaboga, D., & Akay, B. (2009). A comparative study of artificial bee colony algorithm. *Applied Mathematics and Computation*, 214(1), 108-132.
- [32] Singh, A. (2009). An artificial bee colony algorithm for the leaf-constrained minimum spanning tree problem. *Applied Soft Computing*, 9(2), 625-631.
- [33] Karaboga, D., & Basturk, B. (2007). artificial bee colony (ABC) optimization algorithm for solving constrained optimization problems. In *Foundations of Fuzzy Logic and Soft Computing*, Springer Berlin Heidelberg.789-798.
- [34] Dell'Orco, M., Başkan, Ö., & Marinelli, M. (2014). Artificial Bee Colony-based algorithm for optimising traffic signal timings. In *Soft Computing in Industrial Applications*, Springer International Publishing, 327-337.
- [35] Teodorović, D., & Dell'Orco, M. (2005). Bee colony optimization—a cooperative learning approach to complex transportation problems. In *Advanced OR and AI Methods in Transportation: Proceedings of 16th Mini-EURO Conference and 10th Meeting*

- of EWGT (13-16 September 2005).—Poznan: Publishing House of the Polish Operational and System Research: 51-60.
- [36] Sonmez, M. (2011). Artificial Bee Colony algorithm for optimization of truss structures. *Applied Soft Computing*, 11(2), 2406–2418
- [37] Rao, R.V., & Pawar, P.J. (2009). Modeling and optimization of process parameters of wire electrical discharge machining. *Proceedings of the Institution of Mechanical Engineers, Part B: Journal of Engineering Manufacture*, 223(11), 1431-1440.
- [38] Kang, F., Li, J., & Xu, Q. (2009). Structural inverse analysis by hybrid simplex artificial bee colony algorithms. *Computer and Structures*, 87(13–14), 861–870.
- [39] Lloyd, S. Least squares quantization in PCM. *IEEE transactions on information theory*, 1982, 28(2), 129-137.
- [40] Haghshenas, S. S., Haghshenas, S. S., Mikaeil, R., Sirati Moghadam, P., and Haghshenas, A.S. “A New Model for Evaluating the Geological Risk Based on Geomechanical Properties —Case Study: The Second Part of Emamzade Hashem Tunnel” *Electronic Journal of Geotechnical Engineering*, (22.01), pp 309-320. Available at ejge.com.
- [41] Mikaeil, R., Haghshenas, S. S., Haghshenas, S. S., & Ataei, M. (2016). Performance prediction of circular saw machine using imperialist competitive algorithm and fuzzy clustering technique. *Neural Computing and Applications*, 1-10.